

NR2301

Official Version

Firmware Release Note

V1.00(ACIY.3)C0

Date: Mar., 08, 2024
Author: CT Yi
Reviewer:

THIS DOCUMENT CONTAINS PROPRIETARY TECHNICAL INFORMATION THAT IS THE PROPERTY OF THE ZYXEL AND SHOULD NOT BE DISCLOSED TO OTHERS IN WHOLE OR IN PART, REPRODUCED, COPIED, OR USED AS BASIS FOR DESIGN, MANUFACTURING OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION OF ZYXEL.

TABLE OF CONTENTS

Official Version	1
Revision History	3
V1.00 (ACIY.3)C0	4
Release information of V1.00(ACIY.3)C0	4
Know defects	4
Feature Enhancement/Configuration Changing	5
Fixed Defects.....	5
V1.00 (ACIY.2)C0	6
Release information of V1.00(ACIY.2)C0	6
Know defects	6
Feature Enhancement/Configuration Changing	7
Fixed Defects.....	7
V1.00 (ACIY.1)C0	8
Release information of V1.00(ACIY.1)C0	8
Know defects	8
Feature Enhancement/Configuration Changing	9
Fixed Defects.....	9
V1.00 (ACIY.0)C0	10
Release information of V1.00(ACIY.0)C0	10
Know defects	10
Feature Enhancement/Configuration Changing	11
Fixed Defects.....	11

Revision History

Date	Release	Author	Description
2023/10/06	1.0	CT Yi	V1.00(ACIY.0)C0 First FW release
2023/10/30	1.1	CT Yi	V1.00(ACIY.1)C0 First FW release
2024/1/11	1.2	CT Yi	V1.00(ACIY.2)C0 First FW release
2024/3/08	1.3	CT Yi	V1.00(ACIY.3)C0 First FW release

ZYXEL NR2301

V1.00 (ACIY.3)C0

Release Note

Date: 2024/03/08

Supported Platforms:

ZYXEL NR2301

Versions:

Firmware version : V1.00(ACIY.3)C0

Firmware image information:

Image	Version	File name	MD5 sum
FW Image	V1.00(ACIY.3)C0	V1.00(ACIY.3)C0.pkg	b23eb33d2d4f9efa3044a1c4f4badd5e

Notes:

n/a

Release information of V1.00(ACIY.3)C0

Know defects

1. [DeviceList] The device name of iPhone display unknown.

2. [Cellular] [Network Operators] Within NR-NSA environment, NR2301 will stay at 4G only available device while user to perform 4G PLMN selection.
3. [Cellular] NR2301 fail attach with 5G SA RAT when set "auto" authentication method mode but network provided PAP authentication method.

Feature Enhancement/Configuration Changing

1. Germany APN enhancement

Fixed Defects

n/a

ZYXEL NR2301

V1.00 (ACIY.2)C0

Release Note

Date: 2024/1/11

Supported Platforms:

ZYXEL NR2301

Versions:

Firmware version : V1.00(ACIY.2)C0

Firmware image information:

Image	Version	File name	MD5 sum
FW Image	V1.00(ACIY.2)C0	V1.00(ACIY.2)C0.pkg	4e2463e25ec4ada3be71e67bb73af383

Notes:

n/a

Release information of V1.00(ACIY.2)C0

Know defects

1. [DeviceList] The device name of iPhone display unknown.
2. [Cellular] [Network Operators] Within NR-NSA environment, NR2301 will stay at 4G only available device while user to perform 4G PLMN selection.

3. [Cellular] NR2301 fail attach with 5G SA RAT when set "auto" authentication method mode but network provided PAP authentication method.

Feature Enhancement/Configuration Changing

1. Multi-language supported

Fixed Defects

1. [TR69] NR2301 will send '0 BOOTSTRAP' after the ACS trigger the Reboot RPC method.

ZYXEL NR2301

V1.00 (ACIY.1)C0

Release Note

Date: 2023/10/30

Supported Platforms:

ZYXEL NR2301

Versions:

Firmware version : V1.00(ACIY.1)C0

Firmware image information:

Image	Version	File name	MD5 sum
FW Image	V1.00(ACIY.1)C0	V1.00(ACIY.1)C0.pkg	d56a1a6596c9003e0e59a7deafd060bc

Notes:

n/a

Release information of V1.00(ACIY.1)C0

Know defects

1. [DeviceList] The device name of iPhone display unknown.

2. [Cellular] [Network Operators] Within NR-NSA environment, NR2301 will stay at 4G only available device while user to perform 4G PLMN selection.
3. [Cellular] NR2301 fail attach with 5G SA RAT when set "auto" authentication method mode but network provided PAP authentication method.

Feature Enhancement/Configuration Changing

n/a

Fixed Defects

1. Wi-Fi radio setting modification to fix non-supported WiFi-6E channel configuration on cause Wi-Fi client stay at wrong stage.

ZYXEL NR2301

V1.00 (ACIY.0)C0

Release Note

Date: 2023/10/06

Supported Platforms:

ZYXEL NR2301

Versions:

Firmware version : V1.00(ACIY.0)C0

Firmware image information:

Image	Version	File name	MD5 sum
FW Image	V1.00(ACIY.0)C0	V1.00(ACIY.0)C0.pkg	23ccbf765af3fc2c29fab1e62becb60c

Notes:

Initial Release

Release information of V1.00(ACIY.0)C0

Know defects

1. [DeviceList] The device name of iPhone display unknown.
2. [Cellular] [Network Operators] Within NR-NSA environment, NR2301 will stay at 4G only available device while user to perform 4G PLMN selection.

3. [Cellular] NR2301 fail attach with 5G SA RAT when set "auto" authentication method mode but network provided PAP authentication method.

Feature Enhancement/Configuration Changing

n/a

Fixed Defects

n/a